EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/768589 and (media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:01
L2	1	10/768589 and (storage near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:05
L3	1	(DTD same metadata same search).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:25
L4	3	(DTD same attributes same search\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:25
L5	0	(DTD same attributes same search\$3).clm. and (search\$3 same (multiple near2 media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:26
L6	3	(DTD same attributes same search\$3).dm. and (search\$3 same (photograhs or image or pictures or audio or video))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:26
L7	197	DTD and XML and ((attributes or medata or properties) same (rights or authorization or permision))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:29
L8	30	DTD and XML and ((attributes or medata or properties) same (rights or authorization or permision)) and XSL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:29
L9	0	DTD and XML and ((attributes or medata or properties) same (rights or authorization or permision)).dm. and XSL.clm.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:29

L10	3	DTD and XML and ((attributes or medata or properties) same (rights or authorization or permision)).clm. and XSL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:29
L11	1	11/408797 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:50
L12	0	11/408797 and computer and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:50
L13	1	11/408797 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:50
L14	1	11/408797 and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 11:51
S1	30932	707/9 or 707/10 or 707/102	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:35
S2	278	S1 and (user near2 comments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:36
S3	15	S1 and ((user near2 comments) same project\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:36
S4	0	S1 and ((user near2 comments) same project\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:36
S5	4	((user near2 comments) same project\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:36

S6	698	(public with feedback)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:37
S7	65	(public with feedback) and (projects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:37
S8	0	(public with feedback) and (projects) and ((creat\$3 same rules) same comments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:37
S9	0	10/690344 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:53
S10	1	10/690344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:53
S11	0	10/690344 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:53
S12	0	10/690344 and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:53
S13	0	10/690344 and hardware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:53
S14	1	10/690344 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 16:53
S15	0	10/690344 and cpu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/01/31 16:55

S16	2	6941305".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 17:04
S17	29	09/177096	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 21:48
S18	126	"6389538"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 21:48
S19	0	"6389538.pn."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 21:48
S2 0	2	"6389538".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 21:48
S21	3	"7206748".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 21:51
S22	10006	(object with modeling)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 22:43
S23	1056	(object with modeling). clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/31 22:43
S24	1	11/099020 and state	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:14
S25	13239	707/205 or 707/206 or 717/100 or 707/200	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:18

S26	14319	707/205 or 707/206 or 717/100 or 707/2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:18
S27	157	S26 and (garbage near2 collection near2 heap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:18
S28	1	S26 and (garbage near2 collection near2 heap) and (delta near2 stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:19
S29	1	(garbage near2 collection near2 heap) and (delta near2 stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:19
S30	554	S26 and (properties with objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:19
S31	1	S26 and (properties with objects) and (serializ\$3 with object) and (deserializer with object)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:19
S32	0	\$26 and (properties with objects) and (serializ\$3 with object) and (deserializer with object).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:20
S33	0	\$\text{\tinx}\text{\tinx}\text{\tilite\text{\te\tint{\text{\text{\text{\texi{\text{\text{\texi{\text{\text{\texi\text{\text{\text{\text{\text{\texictex{\texi{\texi\texi{\texi{\texi\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:20
S34	0	\$26 and (properties with objects) and (serializ\$3 with object). dm. and (deserializer with object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 18:20
S35	2	(properties with objects) and (serializ\$3 with object).clm. and (deserializer with object)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/09 18:20

S36	1	11/391339 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:19
S37	1	(portable near2 storage near2 medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:20
S38	0	(11/391339 and (archival near2 medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:23
S39	0	(archival)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:23
S40	0	11/391339 and (archi\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:23
S41	0	11/391339 and archi\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:23
S42	0	11/193297 and (medium)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:27
S43	2	11/193297	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:28
S44	2	11/193297 and (media)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:28
S45	2	11/193297 and (media or medium)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/13 10:28

S46	O	11/193297 and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 10:30
S47	0	10/802178 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13
S48	0	10/802178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 11:11
S49	1	11/193797 and (medium or media)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 11:49
S50	1	11/193797 and (computer)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:08
S51	11	(processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:08
S52	1	11/193797 and (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:08
S53	1	11/099020 and state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:29
S54	17951	707/100 or 707/205 or 707/206	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:45
S55	0	(grabage near2 collection near2 heap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/13 12:45

S56	158	S54 and (garbage near2 collection near2 heap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:45
S57	47	S54 and (garbage near2 collection near2 heap) and (allocating with objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:45
S58	0	S54 and (garbage near2 collection near2 heap) and (allocating with objects) and ((maintain§3 or updat \$3 or chang\$1) same state same (properties or metadata))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:47
S59	0	(garbage near2 collection near2 heap) and (allocating with objects) and ((maintain \$3 or updat\$3 or chang\$1) same state same (properties or metadata))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:47
S60	4	(garbage near2 collection near2 heap) and (allocating with objects) and ((maintain \$3 or updat\$3 or changs\$1) same (properties or metadata))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:47
S61	2	(garbage near2 collection near2 heap). clm. and (allocating with objects) and ((maintain\$3 or updat \$3 or changs\$1) same (properties or metadata))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:47
S62	1	(garbage near2 collection near2 heap). dm. and (allocating with objects).dm. and ((maintain\$3 or updat \$3 or change\$1) same (properties or metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:47

S63	O	(garbage near2 collection near2 heap). clm. and (allocating with objects).clm. and ((maintain§3 or updat \$3 or change§1) same (properties or metadata)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MOR	OFF	2009/02/13
S64	19	(optimizer same (database near2 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:48
S65	5	(optimizer same (database near2 layer)) and (object near2 properties)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13
S66	0	(optimizer same (database near2 layer)) and (object near2 properties).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:48
S67	5	(optimizer same (database near2 layer)) and (object near2 properties) and ((cach \$3 or stor\$3) same tables same layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:49
S68	0	deserializ\$4 with (subset with object) same (properties or medata or attributes)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:49
S69	0	deserializ\$4 same (subset with object) same (properties or medata or attributes)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:50
S70	73	(deserializ\$4 with object) same (properties or medata or attributes)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:50
S71	0	S70 and (select\$3 with author)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/13 12:50

S72	71	S70 and (serializ\$3)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:51
S73	6	S72 and ((select\$3 or choos\$3) with (subset or portion or part))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:52
S74	6	S72 and ((select\$3 or choos\$3) with (subset or portion or part)) and (metdata or properties or attributes)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:52
S75	5	S72 and ((select\$3 or choos\$3) with (subset or portion or part)) and (metdata or properties or attributes) and objects	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:52
S76	1	11/099020 and recently	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 12:53
S77	241	707/206 and (reclaim \$3 near2 space)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 13:50
S78	9	707/206 and (reclaim \$3 near2 space) and (object near2 properties)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 13:50
S79	0	707/206 and (reclaim \$3 near2 space) and (object near2 properties) and (state with maintained)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 13:50
S80	0	707/206 and (reclaim \$3 near2 space) and (object near2 properties) and (Carbage near2 collection near2 heap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13
S81	0	707/206 and (reclaim \$3 near2 space) and (object near2 properties) and (delta near2 stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 13:52

S82	_	11/099020 and (memory or processor or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 15:06
S83	1	11/099020 and (caching near2 strategy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 15:19
S84	0	11/099020 and designating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 15:37
S85	1	11/099020 and designate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 15:37
S86	38094	707/101 or 707/104.1 or 707/102 or 707/3 or 707/205	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:23
S87	5034	S86 and (creat\$3 with (metadata or attributes or properties))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:24
S88	29	S87 and (encoded with multimedia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:24
S89	1	S87 and (encoded with multimedia) and (identical with decoded)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:24
S90	28	(encoded with multimedia) and (identical with decoded)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:25
S91	4	(encoded with multimedia) and (identical with decoded) and (decoded with multimedia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/13 16:25

S92	O	(encoded with multimedia) and (identical with decoded) and (decoded with multimedia).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:25
S93	127333	(convert\$3 or translat \$3) with sequence	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/02/13 16:25
394	457	\$93 and ((search\$3 or retriev\$3) same multimedia)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:26
395	59	\$93 and ((search\$3 or retriev\$3) same multimedia) and (replacement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:26
S96	4	\$93 and ((search\$3 or retriev\$3) same multimedia) and (replacement) and (switch with (metadata or properties))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 16:26
S97	4	707/2 and ((modif\$3 with query) same usage)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 09:33
398	1	"7058622".pn. and (edit \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 09:35
S99	1	707/2 and ((edit\$3 with query) same usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 09:38
\$100	7	707/2 and ((rewrit\$5 with query) same usage)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 09:38
S101	1	11/870189 and driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 10:09

S102	422	707/2 and (modif\$3 with code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 10:16
S103	77	707/2 and ((modif\$3 with code) same (query or statement))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 10:16
S104	23	707/2 and ((modif\$3 with code) same (query or statement) same access)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/14 10:17
S105	173	707/2 and ((replac\$3 or chang\$3 or swap\$3 or switch\$3 or exchang \$3 or substitut\$3) with plan) and ((optimiz\$3 or chang\$3 or updat\$3 or modif\$3) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 11:49
S106	101	707/2 and ((replac\$3 or chang\$3 or swap\$3 or switch\$3 or exchang \$3 or substitut\$3) with plan) and ((optimiz\$3 or chang\$3 or updat\$3 or modif\$3) with plan) and (optimiz\$3 with query)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 11:50
S107	36	707/2 and ((replac\$3 or chang\$3 or swip\$3 or switch\$3 or exchang \$3 or substitut\$3) with plan) and ((optimiz\$3 or chang\$3 or updat\$3 or modif\$3) with plan) and (optimiz\$3 with query) and usage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 11:50
S108	5	Bireley.in. and (prepared near2 statement)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 12:41
S109	13	"7233939".pn. or "6618719".pn. or 09/977038 or "6643636".pn. or "6438741".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:55

S110	2	S109 and (access near2 method\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:55
S111	2	S109 and (access near2 method\$) and (rank\$3 or order\$3 or sort\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:56
S112	0	S109 and (access near2 method\$) and (rank\$3 or order\$3 or sort\$) and (re-rank\$ or re-order\$3 or re-sort \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:56
S113	0	S109 and (access near2 method\$) and (rank\$3 or order\$3 or sort\$) and (rerank\$ or reorder\$3 or resort\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:57
S114	1	\$109 and (rank\$3 or order\$3 or sort\$) and (rerank\$ or reorder\$3 or resort\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:57
S115	10914	707/5 (rank\$3 or order \$3 or sort\$) and ((rerank\$ or reorder\$3 or resort\$3) with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:58
S116	67	707/5 and (rank\$3 or order\$3 or sort\$) and ((rerank\$ or reorder\$3 or resort\$3) with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:58
S117	10	707/5 and (rank\$3 or order\$3 or sort\$) and ((rerank\$ or reorder\$3 or resort\$3) with results) and SQL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:58
S118	3	707/5 and (rank\$3 or order\$3 or sort\$) and ((re-rank\$ or re-order \$3 or re-sort\$3) with results) and SQL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 16:59
S119	2	707/2 and (rank\$3 or order\$3 or sort\$) and ((re-rank\$ or re-order \$3 or re-sort\$3) with results) and SQL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:03

S120		"6879990".pn. and (rank\$3 or order\$3 or sort\$) and ((rerank\$ or reorder\$3 or resort\$3) with results) and SQL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:05
S121	2	S109 and (access near2 method\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:28
S122	0	S109 and (modif\$3 with (access near2 method\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:28
S123	0	S109 and (updat\$\$3 with (access near2 method\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:28
S124	0	S109 and ((updat\$3 or modif\$3 or chang\$3) same (access near2 method\$1))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:31
S125	85	707/2 and ((updat\$3 or modif\$3 or chang\$3) with (access near2 method\$1))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:31
S126	118	707/2 and ((updat\$3 or modif\$3 or chang\$3) with (access near2 method\$1)) and (optimiz\$3 with query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:31
S127	32	707/2 and ((updat\$3 or modif\$3 or chang\$3) near2 (access near2 method\$1))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 17:37
S128	1	11/870189	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 18:28
S129	25	IBM and (statement near2 signature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/15 18:35

S130	2	IBM and (statement near2 signature) and 707/2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 18:35
S131	4	"6115703".pn. or "6366901".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 18:37
S132	0	S131 and identifer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 18:37
S133	2	S131 and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 18:37
S134	2	"6366901".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 18:58
S135	13262	707/2 or 707/4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:04
S136	26	S135 and ((modif\$3 with (query)) same convert\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:05
S137	22058	(707/2 or 707/3 or 707/4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:09
S138	11	S137 and(modif\$3 with query) and (convert\$3 same (search near2 result))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:09
S139	2	707/2 and (modif\$3 with query) and (convert\$3 same (search near2 result))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/15 19:11

S140	19	707/2 and (modif\$3 with query) and (format \$3 same (search near2 result))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:11
S141	104	707/2 and ((convert\$3 or transform\$3 or translate\$1) with format with (result\$1 or (search near2 result \$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15
S142	32	707/2 and ((convert\$3 or transform\$3 or transform\$3 or translate\$1) with format with (result\$1 or (search near2 result \$1))) and ((optimiz\$3 or modif\$3 or updat\$3 or chang\$3) with (query or statement))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:17
S143	101	(Java near2 database near2 connectivity near2 driver)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:20
S144	6	(Java near2 database near2 connectivity near2 driver) and (unicode near2 format)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:21
S145	5	(Java near2 database near2 connectivity near2 driver) and ((convert\$3 or transform\$3) with (unicode near2 format))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15
S146	5	(Java near2 database near2 connectivity near2 driver) and ((convert\$3 or transform\$3) with (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15
S147	126157	"707"/ S110 and ((convert\$3 or transform\$3) with (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:22

S148	5	707/2 and ((convert\$3 or transform\$3) with (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:22
S149	18	(JDBC) and ((convert\$3 or translat\$3) with unicode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 19:24
S150	28	Bodamer.in. and (convert\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 07:53
S151	1104	(query or request) with (first near2 format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:11
S152	586	S151 same (second near2 format)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/02/16 08:11
S153	8	S152 and ((optimiz\$3 with (query or request)) same (convert \$ with format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:12
S154	203	(convert\$3 with (data or result\$1) with (unicode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:25
S155	0	(convert\$3 with (data or result\$1) with (unicode)) and JDBCD	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:26
S156	1	11/870189 and (Java)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:26
S157	14	(convert\$3 with (data or result\$1) with (unicode)) and JDBC	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:27

S158	5	(convert\$3 with (data or result\$1) with (unicode)) and (optimiz \$3 with query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:28
S159	5	(convert\$3 with (data or result\$1) with (unicode)) and (modif \$3 with query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:28
S160	0	(convert\$3 with (data or result\$1) with (unicode)) and (convert \$3 with query)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:29
S161	127	707/3 and (convert\$3 with result\$1 with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:31
S162	6	707/3 and (convert\$3 with result\$1 with format) and (request with (different with format))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:31
S163	1	"6003022".pn. and (modif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 08:43
S164	1	"6233578",pn. and format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:06
S165	2	"6732360".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:13
S166	569	(JDBC) with (driver)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:15
S167	570	"19" and ((convert\$3 or translat\$3) with unicode)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/16 09:15

S168	9	S166 and ((convert\$3 or translat\$3) with unicode)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:16
S169	1	(select\$3 with (query or statement)) same convert\$3 same (unicode near2 format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:22
S170	9	((query or statement)) same convert\$3 same (unicode near2 format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:22
S171	4	((query or statement)) same (translat\$3 with (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:25
S172	9	((query or statement)) same (translat\$3 same (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:25
S173	2	(707/2 or 707/3) and ((query or statement)) same (translat\$3 same (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:26
S174	116	(707/2 or 707/3) and (convert\$3 same (unicode near2 format))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:27
S175	143	convert\$3 same (unicode near2 format)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:29
S176	2	"6732360".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:37
S177	1	"7185001".pn. and (unicode)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/16 09:43

S178	6	(707/2 or 707/3) and (translate\$ same (unicode near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 09:47
S179	13	"6366901".pn. or "6003022".pn. or "6275820".pn. or "6233578".pn. "20010029542" or "7185001".pn.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:19
S180	2	707/104.1 and (switch with sample with metadata)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:29
S181	7	(switch with sample with metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:29
S182	5	(switch with sample with metadata) same (convert\$3 or transla \$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:29
S183	1	(switch with sample with metadata) same (convert\$3 or transla \$3).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:29
S184	0	multimeda near2 (data or file)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:32
S185	29755	multimedia near2 (data or file)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:32
S186	8	S185 and (switch near2 metadata)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:33
S187	0	S185 and (switch near2 metadata) and (different near2 tracks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/16 10:33

S188	0	(switch near2 metadata) and (identical near2 values) same (different near2 tracks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:33
S189	2	(identical near2 values) same (different near2 tracks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:34
S190	0	(identical with (decoded near2 (data or values))) same (different near2 tracks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:34
S191	12	(identical with (decoded near2 (data or values))) and (different near2 tracks)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:34
S192	0	(identical with (decoded near2 (data or values))) and (different near2 tracks) and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:35
S193	0	(identical with (decoded near2 (data or values))) and (different near2 tracks) and attributes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:35
S194	0	(identical with (decoded near2 (data or values))) and (different near2 tracks) and properties	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/16 10:35
S195	3	707/3 and (resume same webpage)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/17 17:40
S196	31	(resume same webpage)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/17 17:40
S197	2	(resume same webpage).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/17 17:40

S198	2	707/102 and (resume same webpage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/17 17:40
S199	2	"6269369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 09:39
\$200	2	10/897768	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:05
S201	18605	707/5 or 707/3	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:05
\$202	2	S200 and (user near2 (profiles or behaviour or actions))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:06
S203	36054	(user near2 (profiles or behaviour or actions))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:07
S204	16528	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:07
S205	11541	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:07
S206	1809	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access) and (user near2 history)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18
S207	908	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access) and (user near2 history) and private and public	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:08

\$208	632	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access) and (user near2 history) and private and public and (authorization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SOOR	OFF	2009/02/18
\$209	84	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access) and (user near2 history) and private and public and (authorization) and (analyze with document)	US-PGPUB; USPAT; USCOR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18
\$210	108	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access) and (user near2 history) and private and public and (authorization) and "707"\$.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:10
S211	632	(user near2 (profiles or behaviour or actions)) and ((monitor\$3 or track\$3) with user) and (user with access) and (user near2 history) and private and public and (authorization)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:10
S212	0	cam with truomg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:10
S213	229	cam with truong	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:11
S214	94	S213 and (microsoft)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:11

S215	0	\$213 and (microsoft) and (user with behaviour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:11
S216	10	S213 and (microsoft) and (user with behavior)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:11
S217	196	S211 and (user near2 model)\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/02/18 10:12
S218	1	S211 and (user near2 model) and (user near2 behaviour)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/02/18 10:13
S219	80	S211 and (user near2 model) and (user near2 behavior)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/02/18 10:13
S220	61	S211 and (user near2 model) and (user near2 behavior) and "1998"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:13
S221	152	S211 and (user near2 reference)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:35
S222	139	S211 and (user near2 reference) and (user near2 access)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:36
S223	271	(analyz\$3 with document) same profile	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:41
S224	86	(analyz\$3 with document) same (user near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:42

\$225	0	(autorization same ((add\$3 or includ\$3 or insert\$3) with profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:52
S226	1392	(authorization same ((add\$3 or includ\$3 or insert\$3) with profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:52
S227	772	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:52
S228	275	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile)) and (user near2 profiles)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:53
S229	208	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile)) and (user near2 profiles) and public	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:53
S230	0	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile)) and (user near2 profiles) and public and privatte	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:53
S231	208	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile)) and (user near2 profiles) and public	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:53
S232	159	(authorization with ((add\$3 or indud\$3 or insert\$3) with profile)) and (user near2 profiles) and public and document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:53
S233	208	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile)) and (user near2 profiles) and public	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:54
S234	75	(authorization with ((add\$3 or includ\$3 or insert\$3) with profile)) and (user near2 profiles) and "707"/\$. cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 10:57

\$235	2	"5907836".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 11:01
S236	1	"5907836".pn. and software	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 11:46
S237	2	"6269369",pn, and software	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 11:46
S238	0	"6269369".pn. and determining	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 12:45
S239	1	"6269369".pn. and determine	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 12:45
S240	2	10/897768	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 12:50
S241	2	10/897768	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 12:50
S242	181	(knowledge near2 base) same (user near2 profile)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 13:39
S243	26	(knowledge near2 base) same (user near2 profile) and (public near2 portion)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 13:39
S244	26	(knowledge near2 base) same (user near2 profile) and (public near2 portion) and (private)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/18 13:39

S245	181	(knowledge near2 base) same (user near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 13:40
S246	54	(knowledge near2 base) same (user near2 profile) and authorization	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 13:40
S247	1479	(includ\$3 with content) with (user near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 13:41
S248	534	(generat\$3 or creat\$3) with (SQL near2 (script or code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:02
S249	3	(generat\$3 or creat\$3) with (SQL near2 (script or code)) same ((merg \$3 or join\$3) with (strings or statements))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:03
S250	7	(generat\$3 or creat\$3) with (SQL near2 (script or code)) and (concatenat\$3 with code)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:05
S251	101	"707"/\$.ccls. and (generat\$3 or creat\$3) with (SQL near2 (script or code)) and ((concatenat\$3 or merg \$3 or join\$3) same (script or code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:12
S252	101	"707"/\$.ccls. and (generat\$3 or creat\$3) with (SQL near2 (script or code)) and ((concatenat\$3 or merg \$3 or join\$3) same (script or code))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:12
S253	349	"707"/\$.ccls. and (generat\$3 or creat\$3) with (SQL near2 (script or code)) and ((concatenat\$3 or merg \$3 or join\$3) wit h (script or code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:12

S254	48	"707"/\$.cds. and (generat\$3 or creat\$3) with (SQL near2 (script or code)) and ((concatenat\$3 or merg \$3 or join\$3) with (script or code))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:12
\$255	1	10/888146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 14:26
S 256	2	"20060161444*"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 13:54
\$257	2	"20060161444"	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 13:55
\$258	1	"20060161444" and (transfer\$3 or transmi \$)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 13:55
S 259	2	"20060161444"	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 13:58
S260	1	10/378050 and (medium)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 14:42
S261	Ω	10/326380	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 15:12
S262	4	10/016679 and (medium or media)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 15:36
S263	6	"6590936".pn. or "6380950".pn. or "6282537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 15:48

S264	6	"6593936".pn. or "6380950".pn. or "6282537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 15:49
S265	10	"6593936".pn. or "6380950".pn. or "6282537".pn. or "6236395".pn. or "7028252".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 15:52
S266	2	"6311194".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/20 15:55
S267	0	(search\$3 same DTD same assests)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 09:17
S268	5	(search\$3 same DTD same assets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 09:17
S269	8	(search\$3 same DTD same multimedia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 09:17
S270	2	"6593936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 09:25
S271	1	"6593936".pn. and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 09:25
S272	0	"6593936".pn. and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 09:26
S273	1	"6593936".pn. and program	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/21 09:26

S274	1	"6593936".pn. and (model near2 types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 10:24
S275	1	"6593936".pn. and (types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 10:24
S276	1	"7028252".pn. and movie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 10:50
S277	0	(DTD with searchin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 11:41
S278	0	(DTD with searching). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 11:47
S279	9	(DTD same searching). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 11:48
S280	0	"7028252".pn. and SQL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 11:54
S281	2	"6792577".pn.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 12:01
S282	4	"6792577".pn. or "7028252".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 12:09
S283	0	S282 and SQL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/21 12:10

S284	0	S282 and query	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 12:12
S285	0	"6236395",pn. and databse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 16:49
S286	1	"6236395".pn. and database	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 16:49
S287	1	"6593936".pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 16:49
S288	0	"6593936".pn. and processor	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 16:58
S289	0	"6593936".pn. and cpu	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/21 16:58
S290	2	10/326380	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:42
S291	1	10/326380 and nexus	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:42
S292	1	10/326380 and (nexus with link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:44
S293	3767	*717*/\$.ccls. and API	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/22 07:44

S294	51	"717"/\$.cds. and API and (add near2 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:45
\$295	5	"717"/\$.ccls. and API and (add near2 node) and (software near2 objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:45
S296	4	"717"/\$.ccls. and API and (add near2 node) and (software near2 objects) and (type with node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:45
\$297	0	"717"/\$.ccis. and API and (insert\$3 near2 node) and (software near2 objects) and (type with node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:46
\$298	6	API and (insert\$3 near2 node) and (software near2 objects) and (type with node)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:46
S299	153	API and ((tree or hierarch\$3) with software with objects)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:48
S300	17	API and ((tree or hierarch\$3) with software with objects) and (type with link)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:49
S301	1	717/106 and API and ((tree or hiearchy) with (software near2 objects))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:55
S302	14	(generat\$3 or creat\$3) same ((tree or hiearchy) with (software near2 objects))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:56
S303	1388	(generat\$3 or creat\$3) same ((tree or hiearchy) with (software withobjects))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/22 07:59

S304	95	(generat\$3 or creat\$3) same ((tree or hiearchy) with (software with objects))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 07:59
\$305	16298	707/100 or 707/103R	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:06
S306	3805	S305 and ((generat\$3 or creat\$3) same (tree or hierarchy\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:07
S307	204	S305 and ((generat\$3 or creat\$3) same (tree or hierarchy\$3)) and (software near2 objects)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:07
\$308	23	S305 and ((generat\$3 or creat\$3) same (tree or hierarchy\$3)) and (software near2 objects) and (type with link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:07
S309	14	S305 and ((generat\$3 or creat\$3) same (tree or hierarchy\$3)) and (software near2 objects) and (type with link) and API	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:24
S311	66	(((generat\$3 or creat\$3) same (tree or hierarchy \$3)) and (software near2 objects) and (type with link) and API	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:27
S312	104	((tree or hierarchy\$3)) and (software near2 objects) and (type with link) and API	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:33
S313	28	(software near2 objects) and (type with link) and API and ((creat\$3 or generat\$3) with nodes)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 08:53
S314	3713	(stor\$3 with link) and (link\$3 with nodes)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/22 22:44

S315	72	(stor\$3 with link) and (link\$3 with nodes) and (software near2 objects)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 22:44
S316	68	(stor\$3 with link) and (link\$3 with nodes) and (software near2 objects) and (tree or hierarch\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 22:45
S317	44	(stor\$3 with link) and (link\$3 with nodes) and (software near2 objects) and (tree or hierarch\$3) and (API)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 22:46
S318	2288181	"6487713".pn. or "5910503".pn. ro "592719".pn. or "7305409".pn.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:04
S319	14	"6487713".pn. or "5910503".pn. or "592719".pn. or "7305409".pn.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:05
S320	2	S319 and link	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:05
S321	15296	707/3 or 707/103R	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:07
S322	1302	S321 and (software near2 (objects or modules))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:08
S323	418	S321 and (software near2 (objects or modules)) and API	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:08
S324	254	S321 and (software near2 (objects or modules)) and API and (tree or hierarchy)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:08
S325	6	S321 and (software near2 (objects or modules)) and API and (tree or hierarchy) and (object same link same nodes)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:08

S326		S321 and (software near2 (objects or modules)) and API and (tree or hierarchy) and (object same link same nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:16
S327	85	(software near2 (objects or modules)) and API and (tree or hierarchy) and (object same link same nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/22 23:17
S328	5	"20030158850" or "20070083359"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 09:53
S329	2	10/326380 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:26
S330	2	"6487713".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:51
S331	1	11/408797	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 11:36
S332	1	11/408797 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 11:53
S333	1	11/408797 and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 11:54
S334	0	11/087446 and machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 12:14
S335	0	11/087446	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 12:14

S336	214	cam near2 Y near2 Truong	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 17:00
S337	43	S336 and (computer near2 readable near2 storage near2 medium). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 17:00
\$338	50	707/100 and (stor\$3 with link with nodes)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 18:05
S339	9	707/100 and (stor\$3 with link with nodes) and (software near2 (objects or components))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 18:05
S340	1	(nexus with connect with nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:01
S341	52	(stor\$3 with link with connect with nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:01
S342	1721	707/100 and (stor\$3 with link)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:04
S343	252	707/100 and ((stor\$3 with link) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:04
S344	25	707/100 and ((stor\$3 with link) with table) and (tree with nodes) and API	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:05
S345	76	((stor\$3 with link) with table) and (tree with nodes) and API	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:12

S346	1	((stor\$3 with link) with table) and (tree with nodes) and API and (object near2 software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:13
S347	37	((stor\$3 with link)) and (tree with nodes) and API and (object near2 software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:13
S348	4883	(stor\$3 with link with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:16
S 349	337	(stor\$3 with link with table) and (tree same nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:16
\$350	0	(stor\$3 with link with table) and ((tree same nodes) same (software near2 objects))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:17
S351	0	(stor\$3 with link with table) and ((tree same nodes) same (software near2 components))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:17
S352	61	(stor\$3 with link with table) and ((tree same nodes)) and ((software near2 components))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:17
S353	151	(software near2 objects) same (tree or hiearchy)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:25
S354	3	S353 and (stor\$3 with relationship with nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:25
S355	15296	707/3 or 707/103R	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:32

S356		S355 and (software near2 (objects or modules)) and API and (tree or hierarchy) and (stor\$3 same relationship same link)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2009/02/23 21:32
S357	125	((generat\$3 or creat\$3) same (tree or hierarchy \$3)) and (software near2 objects) and (type with link) and API	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:35
\$358	1	11/112330	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 09:53
\$359	3592	(display near2 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 09:59
S360	114	(display near2 tree) and (viewable near2 area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:02
S361	1	(display near2 tree) and (viewable near2 area) and (distance with equal)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:03
S362	1	(display near2 tree) and (viewable near2 area) and (move same (right near2 edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:03
S363	2	(display near2 tree) and (viewable near2 area) and ((right near2 edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:04
S364	0	"715"/\$.ccls. and (display near2 tree) and (viewable near2 area) and ((right near2 edge))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:04
S365	11	"715"/\$.ccls. and (tree) and (viewable near2 area) and ((right near2 edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/24 10:04

S366	0	715/853 and (align\$3 same node same (right near2 side))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:09
S367	42	(align\$3 same node same (right near2 side))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:10
S368	21	(folder near2 tree near2 control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:14
S369	0	(folder near2 tree near2 control) and ((dimension with perpendicular))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:15
S 370	5	(tree near2 control) and ((dimension with perpendicular))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:15
S371	20	"715"/\$.ccls. and (tree) and ((dimension with perpendicular))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:15
S372	1002	715/851 or 715/854	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:37
S373	35	\$372 and ((hierarch\$3 or tree) near2 control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:38
S374	1	S372 and ((hierarch\$3 or tree) near2 control) and (align\$3 same (left near2 edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:38
S375	16	((hierarch\$3 or tree) near2 control) and (align\$3 same (left near2 edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:39

S376	243897	(siz\$3 with greater (viewable near2 area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:45
S377	12	(siz\$3 with greater with (viewable near2 area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:45
S378	3	(siz\$3 with equal with (viewable near2 area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:45
S379	3	715/784 and (siz\$3 with (viewable near2 area))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:47
S380	299	(siz\$3 with (viewable near2 area))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:47
S381	139	(siz\$3 with (viewable near2 area)) and (left same right)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:47
S382	6	(siz\$3 with (viewable near2 area)) and (left same right) and (tree with control)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:47
S383	455	((layout\$3 with tree) same nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:51
S384	115	((layout\$3 with tree) same nodes) and (size with node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:51
S385	5	((layout\$3 with tree) same nodes) and (size with node) and (left near2 edge) and (right near2 edge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/24 11:52

S386	137	(size with node) and (left near2 edge) and (right near2 edge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:58
S387	8	(size with node) and (left near2 edge) and (right near2 edge) and tree and (view\$3 near2 area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:59
\$388	1	11/112330 and (medium or media)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 12:51
S389	0	11/365261 and (medium or media)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 14:32
\$390	0	11/365261	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 14:33
S391	1072	715/851 or 715/854 or 715/235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 15:41
S392	0	S391 and ((layout\$3 with tree) same nodes) and (size with node) and (left near2 edge) and (right near2 edge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 15:41
S393	16	S391 and ((layout\$3 with tree) same nodes)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 15:41
S394	5	S391 and ((layout\$3 with tree) same nodes).	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 15:42
S395	4	(siz\$3 with greater with (viewable near2 area)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/24 16:11

S396	1	11/112330 and *100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:25
S397	4	10/016679	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:34
S398	350	(navigation with (tree or hierarchy)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:53
S399	8	(navigation with (tree or hierarchy)).clm. and (scrolling).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:53
S400	0	(navigation with (tree or hierarchy)).dm. and (scrolling).dm. and (left near2 edge).dm. and (right nar2 edge). dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:54
S401	1	(navigation with (tree or hierarchy)).dm. and (scrolling).dm. and (left near2 edge) and (right nar2 edge)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:54
S402	4	(navigation with (tree or hierarchy)).dm. and (left near2 edge) and (right nar2 edge)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:54
S403	0	(navigation with (tree or hierarchy)).dm. and (left near2 edge).dm. and (right nar2 edge)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:54
S404	0	(navigation with (tree or hierarchy)).dm. and (left near2 edge).dm. and (right nar2 edge). dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:54
S405	2	(navigation with (tree or hierarchy)).dm. and (left near2 edge) and (right nar2 edge).dm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:54

S406	0	S391 and (delay\$3 same time same display \$3 same results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:55
S407	3	S391 and (delay\$3 same display\$3 same results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 16:55
S408	32255	707/2 or 707/3 or 707/104 or 707/4 or 707/102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:04
S409	814	S408 and DTD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:04
S410	136	S408 and DTD and (search\$3 same dTD)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:04
S411	23	S408 and DTD and (search\$3 same dTD) and (search\$3 same assets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:04
S412	2	S408 and DTD and (search\$3 same dTD) and (search\$3 same assets).clm.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:04
S413	2	S408 and DTD and (search\$3 same dTD). dm. and (search\$3 same assets).clm.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:05
S414	4	DTD and (search\$3 same dTD).clm. and (search\$3 same assets).clm.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:05
S415	2	*11087446*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/24 17:09

S416	0	"11/087446"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:09
S417	0	11/087446	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:09
S418	2954	704/9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:33
S419	952573	704/9 nd (sentence near2 fragments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:34
S420	952341	704/9 nd ((sentence near2 fragments) same (index same database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:34
S421	0	704/9 and ((sentence near2 fragments) same (index same database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:34
S422	0	704/9 and ((sentence near2 fragments) same (index same database))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:34
S423	2	704/9 and ((sentence near2 fragments) same (index))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:35
S424	0	704/9 and ((sentence near2 fragments)) and (paraphrase near2 pair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:36
S425	0	((sentence near2 fragments)) and (paraphrase near2 pair)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:36

S426	26	704/9 and ((sentence near2 fragments)) and (pairs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:36
S427	17	704/9 and ((sentence near2 fragments)) and (pairs) and index	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:36
S428	231	Cam with truong	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:42
S429	10	S428 and (pair).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:42
S430	0	"7074"/\$.ccls. and (paraphrase near2 pairs)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:47
S431	420	"704"/\$.ccls. and (word near2 pairs)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:50
S432	233	"704"/\$.ccls. and (word near2 pairs) and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:50
S433	7	"704"/\$.ccls. and (word near2 pairs) and dictionary and index\$3 and (sentence near2 fragments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 17:51
S434	332878	(sentence nar2 fragments)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:05
S435	2518	S434 and (translat\$3 with pairs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/25 16:05

S436	293	\$434 and (translat\$3 with pairs) and rank\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:05
S437	126	S434 and (translat\$3 with pairs) and rank\$3 and index	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:05
S438	15	S434 and (translat\$3 with pairs) and rank\$3 and index and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:05
S439	554	(frequency with occurrence with pair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:59
S440	381	(frequency with occurrence with pairs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:59
S441	12	(frequency with occurrence with pairs) and (translat\$3 with pairs)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 16:59
S442	2	"6112024".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:00
S443	2	"6374252".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:02
S444	8234	(index\$3 same (sentence nar2 fragments))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:07
S445	0	"6374252".pn. and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/25 18:15

S446		"6374252".pn. and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:15
S447	0	"6374252".pn. and computer and cpu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:15
S448	1	"6374252".pn. and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:15
S449	1	"6374252".pn. and relationship	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 18:20
S450	1	11/112330 and "100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 23:36
S452	1	11/112330 and milliseconds	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 06:03
S453	1	11/112330 and milliseconds and "100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 06:03
S454	1	11/112330 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 06:06
S455	12	345/418 and (layout with tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 06:21
S456	3	345/418 and (layout with tree) and (left near2 edge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/26 06:21

S457	2	345/418 and (layout with tree) and (left near2 edge) and (right near2 edge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 06:21
S458	0	345/481 and (layout with tree) and (left near2 egde)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 11:48
S459	0	345/481 and (layout with tree)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 11:48
S460	1	11/112330 and computer	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 12:01
S461	1	11/565626	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 12:12
S462	1	11/565626 and (medium or media)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 12:12
S463	2	"20020147747"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 12:51
S464	1	10/378050 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:27
S465	2	"20020147711"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:31
S466	0	"20020147711" and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:32

S467	0	"20020147711" and addresses	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:32
S468	0	"20020147747" and addresses	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:33
S469	2	"20020147747"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:33
S470	1	"20020147747" and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:33
S471	1	"20020147747" and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:33
S472	25470	707/3 or 707/100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:34
S473	468	S472 and (node with tree with path)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:34
S474	51	S472 and (node with tree with path) and (nodes with addresses)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:35
S475	42	\$472 and (node with tree with path) and (nodes with addresses) and (match\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:35
S476	0	\$472 and (node with tree with path) and (nodes with addresses) and (match\$3) and (node with identif\$3 with adress\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:36

S477	0	\$472 and (node with tree with path) and (nodes with addresses) and (match\$3) and (node with identify with adress\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MOR	OFF	2009/02/26 14:37
S478	3	\$472 and (node with tree with path) and (nodes with addresses) and (match\$3) and (node with identify with address\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:37
S479	5	\$472 and (node with tree with path) and (nodes with addresses) and (match\$3) and (node with identif\$ with address\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:38
S480	4	S472 and (node with tree with path) and (nodes with addresses) and (identif\$3 with nodes with addresses)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:40
S481	34	(node with tree with path) and (nodes with addresses) and (identif \$3 with nodes with addresses)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:41
S482	6	(node with tree with path) and (nodes with addresses) and (identif \$3 with nodes with addresses) and "707"/\$. cds.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:41
S483	17	(node with tree) and (nodes with addresses) and (identif\$3 with nodes with addresses) and "707"/\$.ccls.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 14:42
S484	1	11/601178	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:21
S485	0	11/601178 and (tags with values)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/26 15:26

S486	0	11/601178 and (tags same values)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:26
S487	1	11/601178 and (tags)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:27
S488	2	"5060155".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:43
S489	2	"6246977".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:44
S490	3209	(word near2 pairs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:46
S491	0	(word near2 pairs) and (synomy near2 pairs)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:47
S492	3213	(word near2 pairs) or (paraphrase near2 pairs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:47
S493	443	S492 and dictionary	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:48
S494	186	S492 and dictionary and translation	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 15:48
S495	122	S492 and dictionary and translation and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2009/02/26 15:48

S496	3213	(word near2 pairs) or (paraphrase near2 pairs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 17:05
S497	1	S496 and dictionary and translation and frequency and "7080320".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 17:05
S498	1	S496 and dictionary and translation and frequency and "7080320".pn. and (word near2 pair\$1)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 17:22
S499	19248	707/3 or 707/104.1 and 707/2 or 707/4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:22
S500	87	S499 and (search\$3 same DTD)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:22
S501	2	S499 and (search\$3 same DTD) and (digital near2 assets)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:22
S502	4	(search\$3 same DTD) and (digital near2 assets)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:22
S503	346	(search\$3 same DTD) and ((audio near2 recording\$1) or (video near2 recordings) or movie or promo or text)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:33
S504	555	(search\$3 same DTD) and ((audio near2 recording\$1) or (video near2 recordings) or movie or promo or text) and (right\$1 with attribute\$1)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:33

S505	O	(search\$3 same DTD) and ((audio near2 recording\$1) or (video near2 recordings) or movie or promo or text) and (right\$1 with attribute\$1) and (stype near2 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27
S506	0	(search\$3 same DTD) and ((audio near2 recording\$1) or (video near2 recording\$) or movie or promo or text) and (right\$1 with attribut\$1) and (convert\$3 with results)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:34
S507	0	(search\$3 same DTD) and ((audio near2 recording\$f1) or (video near2 recordings) or movie or promo or text) and (right\$1 with attribute\$1) and (convert\$3 same resutls)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:34
S508	0	(search\$3 same DTD) and ((audio near2 recording\$1) or (video near2 recording\$) or movie or promo or text) and (right\$1) and (convert\$3 same resutls)	US-POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:34
S509	0	(search\$3 same DTD). clm. and ((audio near2 recording\$1) or (video near2 recording\$) or movie or promo or text) and (convert\$3 same resutls)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:35
S510	8	(search\$3 same DTD). clm. and ((audio near2 recording\$1) or (video near2 recordings) or movie or promo or text).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:35
S511	6	S499 and (rights same management same (attributes or metadata)).clm.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:36

S512	6	2002/0147747	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:45
S513	2	"20020147747"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:45
S514	1	"20020147747" and DTD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:46
S515	1	"20020147747" and DTD and score	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:46
S516	0	"20030115187" and (score\$1 same match\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:47
S517	0	"20030115187" and (score\$1)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:47
S518	3	*20030115187*	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:47
S519	2	"7007027".pn. or 11/087446	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:53
S520	1	10/378050	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:53
S521	1	10/378050 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 07:53

S522	T	10/378050 and (medium or media) and device\$1		OR	OFF	2009/02/27 07:55
S523	2	10/897768 and (medium or media)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 09:56
S524	2	10/897768 and (computer or memory or processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 09:59

 $2/27/2009\ 12:45:18\ PM \\ C:\ Documents\ and\ Settings\ CTruong\ My\ Documents\ EAST\ Workspaces\ 11099020.wsp$